# STICKER CUS

# **Custom Wall and Floor Decals**



StickerYou's Wall, Floor and Street Decals are lightweight and removable, they stick strong and are easy to apply to any wall or floor surface. Our decals can be custom die-cut to your image or logo shape. Order in any size, any shape and any quantity! Our line of decal products will accommodate to each of your surface applications. Great for signage, promotional messaging, and innovative wall and floor décor.

- 🦰 Lightweight, easy-to-apply
- Durable and long-lasting
- < Removable
- Any size up to 72" x 48"
- Satisfaction guaranteed



#### **Indoor Wall Decals for Smooth Surfaces**

			DTE	Hinc.	
SAMPLE SIZE	18" x 24"	\$37.23			
SAMPLE SIZE	24" x 36"	\$48.35	15		


IDEAL FOR	<ul> <li>Any interior smooth wall surface including drywall, and doors</li> <li>Large format for signage, identity, décor</li> <li>Can be used on tables for short term (repeated scuffing and abrasion may cause ink to fade after 60 days)</li> </ul>
APPLY ON	Drywall     Plastic     Concrete     Glass
NOT RECOMMENDED FOR	<ul> <li>Outdoor Walls</li> <li>Floor surfaces (not for walking on)</li> </ul>
MATERIAL	Durable white vinyl (smooth matte)
THICKNESS	6 mil
LONGEVITY	2+ years
SUN & WATER RESISTANT	▲

## **Indoor Wall Decals for Rough Surfaces**



IDEAL FOR	<ul> <li>Any interior rough wall s concrete, brick, tile, ston</li> <li>Signage, messaging, an greater malleability to ro</li> </ul>	e or wood d decor that needs
APPLY ON	<ul> <li>Concrete or marble</li> <li>Stone</li> <li>Brick</li> </ul>	• Tile • Wood
NOT RECOMMENDED FOR	• Rough Outdoor Street S	urfaces
MATERIAL	Durable white vinyl (mat	tte linen-like texture)
THICKNESS	9 mil	
LONGEVITY	6-12 months	
SUN & WATER RESISTANT	<b>*</b>	

#### **Indoor Floor Decals**



N

#### **Outdoor Wall Decals**



IDEAL FOR	<ul> <li>Any exterior wall surface including concrete, brick, tile, stone or wood</li> <li>Outdoor signage and decor that needs greater wall malleability to outdoor circumstances</li> </ul>	
APPLY ON	• Concrete or marble • Stone • Brick	• Tile • Wood
NOT RECOMMENDED FOR	Rough Outdoor Street St	urfaces
MATERIAL	Durable white vinyl (mat	te linen-like texture)
THICKNESS	9 mil	
LONGEVITY	6-12 months	
SUN & WATER RESISTANT	1	

## **Outdoor Street Decals**



IDEAL FOR	<ul> <li>Certified Slip Resistant for any street surface including sidewalks, pavement, asphalt and stone</li> <li>Outdoor marketing events, promotional uses, advertising, identificaton and signage that will mold to ground surfaces</li> </ul>	
APPLY ON	<ul> <li>Concrete</li> <li>Stone</li> <li>Brick</li> <li>Asphalt</li> </ul>	<ul><li>Tarmac</li><li>Cobble-stone</li><li>Pavement</li></ul>
OT RECOMMENDED FOR		se (inks will fade from constant nd vehicle traffic)
MATERIAL	Durable white	e vinyl with aluminum
THICKNESS	18 mil	
LONGEVITY	Up to 30 Day	S
SLIP RESISTANT	*	

# **Custom Window Decals**

StickerYou's window decals are custom printed on a removable white vinyl with the potential for 4 color process inks. The end product is masked using a laminator so you have an easy time applying to your windows in a straight fashion. Whatever your art or message, and however you may like it cut-out, we know you will love this product.

# **Indoor or Outdoor Vinyl Window Decals**



IDEAL FOR	<ul> <li>Any window surface such as for store or cars</li> <li>Short or long term signage</li> <li>Inside or outside application</li> </ul>
APPLY ON	Smooth surfaced windows or walls
NOT RECOMMENDED FOR	Rough walls or street surfaces
MATERIAL	<ul> <li>Glossy white vinyl</li> <li>(4 color ink process printing)</li> <li>Comes with masking for ease of application</li> </ul>
THICKNESS	3.5 mil
LONGEVITY	2-3 years
SUN & WATER RESISTANT	A

### **Indoor or Outdoor Clear Decals or Window Clings**

NC

SU



IDEAL FOR	<ul> <li>Any window surface such as for store or cars</li> <li>Short or long term signage</li> <li>Inside or outside application</li> </ul>
APPLY ON	Smooth surfaced windows or walls
OT RECOMMENDED FOR	<ul> <li>Rough walls or street surfaces</li> <li>Clings not recommended for outside windows with temperatures below 7°C</li> </ul>
MATERIAL	- Clear Vinyl
THICKNESS	3 mil
LONGEVITY	1-2 years
UN & WATER RESISTANT	<b>*</b>